

Product	Power Supply, Open frame Building-in Type
Applicant	Astec International Ltd. 16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong Kowloon Hong Kong
Manufacturer	Astec International Ltd. 16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong Kowloon Hong Kong
Factory	<input checked="" type="checkbox"/> See page 2
Ratings	1.6A 100-250V 50/60/440Hz or 1.0A 120V-300VDC
Trade mark	
Model / Type Ref.	LPS42
Principal characteristics	Cl. I DC-output: 11A +5V. Maximum Continuous Output Power 40W convection cooling. Maximum Continuous Output Power 55W with 30CFM forced air <input type="checkbox"/> See next page(s)
A sample of the product was tested and found to be in conformity with	OFF EN 60950-1:2006;A11;A1;A12;A2
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	<input type="checkbox"/> See next page(s) The abovementioned certified equipment complies with current regulatory requirements regarding electrical safety in Norway and other EU/EEA member states, as far as this can be checked. Compliance with requirements regarding building-in, protection against electric shock and Electromagnetic Compatibility (EMC) must be checked when the equipment is built-in a completed product or forms a part of a complete system.
Additional model(s)	<input checked="" type="checkbox"/> See next page(s)

Date of issue 03-07-2015



Eunhye Song
Certification Department

Nemko AS
Gaustadalléen 30, P.O. Box 73 Blindern, 0314 Oslo, Norway
TEL +47 22 96 03 30 FAX +47 22 96 05 50 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Product Power Supply, Open frame Building-in Type
Pos. No 1
Model / Type Ref. LPS43
Trade mark (if different from page 1)
Rating 1.6A 100-250V 50/60/440Hz or 1.0A 120V-300VDC
Principal characteristics Cl. I
DC-output: 4.5A +12V
Maximum Continuous Output Power 40W convection cooling.
Maximum Continuous Output Power 55W with 30CFM forced air

Product Power Supply, Open frame Building-in Type
Pos. No 2
Model / Type Ref. LPS44
Trade mark (if different from page 1)
Rating 1.6A 100-250V 50/60/440Hz or 1.0A 120V-300VDC
Principal characteristics Cl. I
DC-output: 3.6A +15V
Maximum Continuous Output Power 40W convection cooling.
Maximum Continuous Output Power 55W with 30CFM forced air

Product Power Supply, Open frame Building-in Type
Pos. No 3
Model / Type Ref. LPS45
Trade mark (if different from page 1)
Rating 1.6A 100-250V 50/60/440Hz or 1.0A 120V-300VDC
Principal characteristics Cl. I
DC-output: 2.3A +24V
Maximum Continuous Output Power 40W convection cooling.
Maximum Continuous Output Power 55W with 30CFM forced air

Factories:

Astec Power Philippines Inc.
Main Avenue Corner Road "J", Cavite Export Processing
Zone, Rosario, Cavite
Philippines

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark
Sta. Rosa Laguna
Philippines 4026

Date of issue 03-07-2015



Eunhye Song
Certification Department

Nemko AS

Gaustadalléen 30, P.O. Box 73 Blindern, 0314 Oslo, Norway
TEL +47 22 96 03 30 FAX +47 22 96 05 50 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532